Educational Aspects of a Modular Power Management System

Attila Sáfár[1], Bertalan Beszédes[1]
[1] Óbuda University, Alba Regia Technical Faculty, Budai Str. 45, H-8000 Székesfehérvár
{safar.attila, beszedes.bertalan}@amk.uni-obuda.hu

***Abstract* — A redundant, modular, off-grid power supply unit is an often-used component in high reliability system. It makes it more fault tolerant and increase maintainability. With self-monitoring functions it can predict malfunctions and component lifetime. This system can also be used as a task for higher education projects. The students can expert their team working, problem solving, designing, building, testing skills with this kind of task.**

I. INTRODUCTION

The ongoing research development project offers many opportunities for university education and training. Students can explore their own research and development topics. It is a good opportunity to learn individual, independent work. The next level, however, is the acquisition of creative, constructive activities in the team. As university professors, we have methodologically identified the following path for our students. The personalized, knit work has helped with the trainer, but it should be largely through a self-contained solution, for more dynamic and distributed, pro-active, flexible teamwork. It may also be possible for different grades or programs to work on a particular project. In the middle of the training, a scientific conference material can be used as a useful side-effect and even a thesis on well-documented developments can be created for graduate students. Of course, to achieve higher grades, these activities and documented materials can also help you gain access to the scientific degree. The implementation of a longer project solution into education and the use of modern technologies used will greatly contribute to the training of high-value graduate students. This also enhances the quality of training, improves satisfaction with industrial partners, as they are more willing to use fresh graduates with useful and up-to-date knowledge.

Each project can be implemented in a variety of courses that are taught and recorded. Measurements (test measurements) that can be connected to the developments in the measurement technology class can play an important role [1]. A project detail can also be used to form the electronics measurement labs [2]. It is a good opportunity to get to know the digital components of the electronics to be designed or being operated, i.e. to deepen the knowledge of digital electronics and to apply them in practice [3]. It is an excellent opportunity to learn the programming of digital circuits and microcontrollers [4]. Thinking in the system, you can learn how embedded systems work [5]. In addition to foundation objects, new professional differentiated courses can be launched in higher grades [6].

II. IN PRACTICE

Let us look at how it is built, an R&D project is being built into our university level training.

Let us throw out a technological problem to solve. Define your needs. Give students the choice of the problems to be solved. If more than one group or course or course of study has the same function, introduce the "bidding" method. This basically means that for the given task the students are increasing the bar on the solution and make offers. The team that promises the highest quality, most useful solution will win the task. Of course, this can never mean that the solution cannot be further developed. A separate chapter should be devoted to the options for improvement.

Educational research projects can be co-operative, competitive or different. The solutions should aim to ensure that the problem solved is consistent with the problem that has been issued and has a well-defined output. So, it is important to define the tasks accurately, to develop a correct theoretical solution, to create a proper system plan, to perform preliminary simulations [7]. In case of wrong conclusions, step back into the planning in the right steps [8]. If the simulations are correct, they can only capture the students for circuit design and re-check the completed schematic plans with simulations. [9]

The next corner is also an important opportunity for further training. Real Circuit Designs (PCBs) must be



Figure 1. Schematic design example

made with the help of some authentic software (Fig. 1 and 2). [10] The modern equipment at our institute allows us to design printed circuit boards for 0-series equipment and to cut them off in an automated production line (Fig. 3 and 4). In a microcontroller environment, it is also possible to create firmware [11]. This requires proper hardware close and system knowledge [12]. The finished cards must also be measured by the students [13]. The measurements also can be automated (Fig. 5 and 6). [14]

Performing evaluations (evaluation) in one of the last steps and documenting the results. It is important to note that any development carried out in school conditions must not lead to the production of continuous and detailed work documentation, thus preparing our students for industrial work and approach. [15]



Figure 2. PCB design example



Figure 4. Prototype labor block diagram

III. REALIZATION

As an example project, the architecture of an off-grid redundant power supply system can be seen in Fig. 7.

The energy that feeds the system comes from the photovoltaic cells. The two redundant solar panel module can be compared to each other and can be selected one of them as an input of the next stage.



Figure 3. Milled and hand soldered PCB example



Figure 5. Digital multimeter multiplexer card

Figure 6. Automated measurement for validation purposes

The DC/DC converter module is also monitored (see Fig. 8) by the microcontroller unit (MCU). The input and output current and voltage are measured, and an efficiency is calculated. For further lifetime prediction the switching semiconductors (MOSFET's) drain-source voltage is measured, whet the element is open and under load. These modules will charge the accumulators and feed the system with stabilized DC voltage.

The accumulators are also used as redundant elements. The measured flowing in and flowing out charge can be measured and an efficiency, inner resistance can be calculated, a lifetime can be predicted.

The test loads can be used for short time, periodic module measurements with constant load. The task of the switching and measuring matrices is to connect, cross connect the different modules. The capacitor module will feed the inner controlling microcontroller, the connected load and other optional modules, if the power flow is temporarily disconnected due to switching.



Figure 7. Redundant modular PSU structure

All these mentioned modules can be a development [16], construction [17], programming [18] and measurement tasks [19] for a whole semester. Students or student groups need to work together both in hardware and in firmware levels [20]. There are tasks to make a schedule, manage time, find the right solution, assign subtasks, find the connection interfaces and protocols between modules, and so on. [21] [22] [23] [24] [25] [26] [27] [28] [29] [30] [31]



Figure 8. Module measuring architecture

CONCLUSION

In this paper a useful real-life application about a modular redundant power supply unit has been presented. The cooperation between the modules is endured by a microcontroller based embedded system. It had been showed, how to implement the mentioned solution to educational environment. Students also can learn and practice a lot of important competences with this method.

The authors believe that the proposed solution can be useful for civilian and industrial applications, where reliability is hardly required, even if it is needs some extra hardware and software redundancy.

ACKNOWLEDGMENT

We acknowledge the financial support of this work by the Hungarian State, the ITM, the NKFIH, and the Óbuda University under the UNKP 2019 project.

REFERENCES

[1] T. I. Băjenescu, M. I. Bâzu. Reliability of Electronic Components. Berlin. Springer-Verlag Berlin Heidelberg GmbH. 1999. 311.-328. pp. ISBN 978-3-642-58505-0

[2] Vass Attila, Berek Lajos. Napenergia és az elektronikai jelzőrendszer, villamos energia hálózattól távol lévő objektumok védelmének lehetőségei. HADMÉRNÖK 24:(2) pp. 41-57. (2015.06.)

[3] Gábor Kohlrusz, Krisztián Enisz, Bence Csomós, Dénes Fodor. Electric energy converter development and diagnostics in mixed-signal simulation environment. ACTA IMEKO 7:(1) pp. 20-26. 2018.

[4] Bray W. Johnson. Design and Analysis of Fault-Tolerant Didital Systems. 1989. Addison-Wesley Publishing

[5] Györök György. Programozható analóg áramkörök mikrovezérlő környezetben. Óbudai Egyetem, ISBN 978 615 5018 97 8, Budapest, 2013.

[6] Györök György, Tihomir Trifonov, Alexander E. Baklanov, Bertalan Beszédes, Svetlana V. Grigoryeva, Aizhan Zhaparova. A Special Robust Solution for Battery Based Power Supply. In: Orosz Gábor Tamás. 11th International Symposium on Applied Informatics and Related Areas (AIS 2016). Székesfehérvár, Magyarország, 2016.11.17. Budapest: Óbudai Egyetem, 2016. pp. 32-35.

[7] Györök György, Bertalan Beszedes. Fault tolerant power supply systems. In: Orosz Gábor Tamás, 11th International Symposium on Applied Informatics and Related Areas (AIS 2016). Székesfehérvár, Magyarország, 2016.11.17. Budapest: Óbudai Egyetem, 2016. pp. 68-73.

[8] Györök György. Mikrokontrollerek hardver-hatékony alkalmazása. In: Nagy Rezső, Hajnal Éva. Garai Géza Szabadegyetem II. Székesfehérvár: Óbudai Egyetem, 2015. pp. 5-15. ISBN:978-615-5460-62-3

[9] Györök György, Beszédes Bertalan. Duplicated Control Unit Based Embedded Fault-masking Systems. In: Szakál Anikó. IEEE 15th International Symposium on Intelligent Systems and Informatics: SISY 2017. Szabadka, Szerbia, 2017.09.14-2017.09.16. New York: IEEE, 2017. pp. 283-288. ISBN:978-1-5386-3855-2

[10] György Györök, Bertalan Beszédes. Highly reliable data logging in embedded systems. In: Anikó Szakál, Iveta Zamecnikova (szerk.) SAMI 2018: IEEE 16th World Symposium on Applied Machine Intelligence and Informatics : Dedicated to the Memory of Pioneer of Robotics Antal (Tony) K. Bejczy : proceedings. 237 p. Košice; Herlány, Szlovákia, 2018.02.07-2018.02.10. Seattle (WA): IEEE, 2018. pp. 49-54. ISBN:978-1-5386-4771-4

[11] Györök György, Bertalan Beszedes. Fault tolerant power supply systems. In: Orosz Gábor Tamás, 11th International Symposium on Applied Informatics and Related Areas (AIS 2016). Székesfehérvár, Magyarország, 2016.11.17. Budapest: Óbudai Egyetem, 2016. pp. 68-73.

[12] Györök. György. A-class amplifier with FPAA as a predictive supply voltage control. In: 9th International Symposium of Hungarian Researcherson Computational Intelligence and Informatics (CINTI2008). 2008. 361–368. p.

[13] György Györök, Bertalan Beszédes. Adaptive optocoupler degradation compensation in isolated feedback loops. In: Szakál Anikó (szerk.) IEEE 12th International Symposium on Applied Computational Intelligence and Informatics (SACI 2018). Konferencia helye, ideje: Temesvár, Románia, 2018.05.17-2018.05.19. Temesvár: IEEE Hungary Section; IEEE Romania Section, 2018. pp. 167-172. ISBN:978-1-5386-4639-7

[14] Bergh, A. A., Dean, P. J. Light-emitting diodes. Clarendon Press. 1976

[15] Gy, Györök ; M, Seebauer ; T, Orosz ; M, Makó ; A, Selmeci. Multiprocessor Application in Embedded Control System. In: Szakál, A (szerk.) 2012 IEEE 10th Jubilee International Symposium on Intelligent Systems and Informatics, SISY 2012, Subotica, 2012, September, 20-22. Piscataway (NJ), Amerikai Egyesült Államok : IEEE, (2012) pp. 305-309. , 5 p.

[16] Gy, Györök. Self Organizing Analogue Circuit by Monte Carlo Method. In: A, Szakál (szerk.) LINDI 2007 - International Symposium on Logistics and Industrial Informatics 2007. Wildau, Németország : Institute of Electrical and Electronics Engineers (IEEE), (2007) pp. 1-4. , 4 p.

[17] Gy, Györök. The FPAA Realization of Analog Robust Electronic Circuit. In: Szakál, A (szerk.) IEEE 7th International Conference on Computational Cybernetics : ICCC 2009. Budapest, Magyarország : IEEE Hungary Section, (2009) pp. 1-5. Paper: 10 , 5 p.

[18] Györök, György. The Veterinary Horse Circuit for a Microcontroller Supervised System. In: Anikó, Szakál (szerk.) IEEE 16th International Symposium on Intelligent Systems and Informatics : SISY 2018. Budapest, Magyarország : IEEE Hungary Section, (2018) pp. 000227-000230. , 4 p.

[19] György, Györök. Continuous Operation Monitoring of Electronic Circuits with Embedded Microcontroller. In: Szakál, Anikó (szerk.) IEEE 18th International Symposium on Computational Intelligence and Informatics (CINTI 2018). Budapest, Magyarország: IEEE Hungary Section, (2018) pp. 000155-000160. , 6 p.

[20] B. Madoš, N. Ádám, J. Hurtuk, and M. Čopjak, "Brain-computer interface and Arduino microcontroller family software interconnection solution," in Proc. of the 14th International Symposium on Applied Machine Intelligence and Informatics, Herlany, Slovakia, 2016, pp. 217–221.

[21] J. Hurtuk, A. Baláž, and N. Ádám, "Security sandbox based on RBAC model," in Proc. of the 11th International Symposium on Applied Computational Intelligence and Informatics, Timisoara, Romania, 2016, pp. 75–80.

[22] FŐZŐ, Ladislav - ANDOGA, Rudolf - KOVÁCS, Radovan. Thermo-dynamic cycle computation of a micro turbojet engine / Ladislav Fozo, Rudolf Andoga, Radovan Kovacs - 2016.In: CINTI 2016. - Danvers : IEEE, 2016 P. 000075-000079. - ISBN 978-1-5090-3909-8

[23] KOMJÁTY, Maroš - FŐZŐ, Ladislav - ANDOGA, Rudolf. Experimental identification of a small turbojet engine with variable exhaust nozzle / Maroš Komjáty, Ladislav Főző, Rudolf Andoga - 2015. In: CINTI 2015. - Danvers : IEEE, 2015 P. 65-69. - ISBN 978-1-4673-8519-0

[24] ANDOGA, Rudolf - FŐZŐ, Ladislav - MADARÁSZ, Ladislav - KAROĽ, Tomáš. A Digital Diagnostic System for a Small Turbojet Engine / Rudolf Andoga ... [et al.] - 2013. In: Acta Polytechnica Hungarica. Vol. 10, no. 4 (2013), p. 45-58. - ISSN 1785-8860 Spôsob prístupu: http://www.uni-obuda.hu/journal/Andoga_Fozo_Madarasz_Karol_42.pdf

[25] ANDOGA, Rudolf - MADARÁSZ, Ladislav - FŐZŐ, Ladislav - LAZAR, Tobiáš - GAŠPAR, Vladimír. Innovative approaches in modeling, control and diagnostics of small turbojet engines / Rudolf Andoga ... [et al.] - 2013. In: Acta Polytechnica Hungarica. Vol. 10, no. 5 (2013), p. 81-99. - ISSN 1785-8860 Spôsob prístupu: http://www.uni-obuda.hu/journal/Andoga_Madarasz_Fozo_Lazar_Gaspar_43.pdf

[26] Monika Pogatsnik. Dual education: The win-win model of collaboration between universities and industry. INTERNATIONAL JOURNAL OF ENGINEERING PEDAGOGY 8 : 3 pp, (2018):145–152, 2018.

[27] Monika Pogatsnik. The impact of dual higher education on the development of non-cognitive skills. Gergely Kovats, Zoltan R´onay (szerk.) In search of excellence in higher education Budapest, Magyarorszag, (2019):179–190, 2019.

[28] GYÖRÖK, György, et al. Multiprocessor application in embedded control system. In: 2012 IEEE 10th Jubilee International Symposium on Intelligent Systems and Informatics. IEEE, 2012. p. 305-309.

[29] Gergely, G., Menyhard, M., Sulyok, A., Orosz, G. T., Lesiak, B., Jablonski, A., ... & Varga, D. (2004). Surface excitation of selected conducting polymers studied by elastic peak electron spectroscopy (EPES) and reflection electron energy loss spectroscopy (REELS). Surface and Interface Analysis: An International Journal devoted to the development and application of techniques for the analysis of surfaces, interfaces and thin films, 36(8), 1056-1059.

[30] Gergely, G., Menyhard, M., Orosz, G. T., Lesiak, B., Kosinski, A., Jablonski, A., ... & Varga, D. (2006). Surface excitation correction of the inelastic mean free path in selected conducting polymers. Applied surface science, 252(14), 4982-4989.

[31] Orosz, G. T., Sulyok, A., Gergely, G., Gurbán, S., & Menyhard, M. (2003). Calculation of the surface excitation parameter for Si and Ge from measured electron backscattered spectra by means of a Monte-Carlo simulation. Microscopy and Microanalysis, 9(4), 343-348.